




**Water/ Methanol Injection
Higher Pressure Diaphragm Pump**



⚙️ Features:

- Self-priming high-pressure diaphragm pump
- Air-free design ensures smooth, pulsation-free flow
- Adjustable pressure: **200 PSI (13.8 bar)**
- Flow rate: **2300 cc/min (138 LPH / 36.5 GPH)**
- Voltage range: **30V**
- Nominal current: **2A**, Max current: **8A**
- Constructed from durable **HDPE/ABS plastic, rubber, and steel**
- 100% methanol compatible – suitable for all alcohol/water mixtures
- No pressure cut-off switch → prevents oscillation and pressure spikes
- Internal bypass provides steady, constant flow
- Large **female ports**
- Low RPM motor design (as low as 60 RPM) ensures long lifespan
- Can safely operate dry for up to one hour
- Can accept a **50Hz PWM signal** for flow control

🔑 Instructions / Safety Notes

1. All components — pump, lines, fittings, filler, flow sensor, tank, and nozzles — are **100% methanol compatible**.
2. **Methanol Resistance:** Equipped with **EPDM seals** for improved resistance against methanol degradation.
3. **Electrical Supply:** Ensure stable power between **30V** with proper fuse protection.

⚠️ Application Note

1. **Operating Precaution:** The pump may run dry for a short period (up to 1 hour), but continuous dry operation should be avoided.
2. **Safety Limit:** Do not exceed **50% methanol concentration**.

📦 Box Contents

1. High-Pressure Diaphragm Pump
2. Product Stickers
3. Installation Manual

🔧 Installation Guide

- If no transfer pump is used → mount the injection pump below the tank in the luggage compartment.
- If transfer pump is used → injection pump can be mounted in the engine bay.
- Although the pump is self-priming, we recommend positioning the pump inlet **below the fluid level of the tank**, as vehicle movement and vibrations during driving may cause air to enter the suction line.

🔌 Electrical Connections

Color Function Section (mm²) Length

Red	Positive	0.75	30 cm
Black	Negative	0.75	30 cm

⚠️ Instructions

Disclaimer: PRODIMAR LTD assumes no responsibility for any **engine damage or personal injury** resulting from improper installation or handling of methanol. Handle methanol with care — it is **toxic and highly flammable**.

Warranty

All Bosphorus Innovations products are covered by a 2-year warranty against manufacturing defects, valid from the date of delivery.

Follow Us

Social Media:

https://www.instagram.com/bosphorus_innovations

<https://www.facebook.com/BosphorusInnovations>

<https://www.youtube.com/channel/UCzbN5CcDePwMBcIBiBJGrbw/videos>

<https://g.page/BosphorusInnovations/>

Online Stores:

<https://www.bosphorusinnovations.com/shop>

https://www.ebay.com/usr/hlyaer_0

<https://www.amazon.com/shops/bosphorusinnovations>

<https://www.facebook.com/pg/BosphorusInnovations/shop/>

<https://tr1061054643.fm.alibaba.com/>

<https://www.ptttrade.com/company/bosphorus-innovations>

<https://bosphorusinnovations.aliexpress.com/>

Company Info

Bosphorus Innovations

Headquarter

Prodimar İç ve Dış Tic. Elektronik San. Ltd. Şti.

Maltepe Street Alba Site No:12Bl, Bayrampasa, İstanbul, TURKIYE

Warehouse

3260 Gorham Ave Suite 5954 Minneapolis, MN 55426, USA

 Phone: +90 212 544 3141 / +01 952 232 0677

 WhatsApp: +90 850 307 5458

 GSM: +90 535 942 8747

 Email: info@bosphorusinnovations.com

 Web: www.bosphorusinnovations.com

innovations